


TECHNICAL GUIDE HERITAGE 2800

A+



Our Heritage 2800 system is outstanding in performance and great looks, with an unbeatable choice of colour from stock. It is best in class for energy and security, achieving U-values as low as 0.9W/m²K and PAS24 accreditation. The unique design of this system also ensures unrivalled wind resistance, water tightness and air permeability.

Its' elegance and symmetry makes Heritage 2800 the most attractive system on the market, complementing modern and period properties alike. It leads with 26 colourways from stock, complete with matching trims, cills and ancillaries.

deceuninck

Deceuninck Limited

Stanier Road • Porte Marsh Industrial Estate • Calne • Wiltshire SN11 9PX
T 01249 816 969 • F 01249 815 234
deceuninck.ltd@deceuninck.com • www.deceuninck.co.uk

September 2015

Document No:
82122-8104
Heritage 2800



Weather Performance

The Heritage 2800 multi-functional weatherseal is at the cutting edge of modern design and material technology. The unique design ensures unrivalled weather performance and provides a significant reduction in the everyday strain placed on hardware, which in turn increases the lifespan of the window. The weatherseal is also welded at the corners providing a continuous seal further improving the insulating properties of the product.


Security

The Heritage 2800 window and door system is fully compatible with all standard security hardware, with both windows and doors achieving enhanced security standard PAS 24.


Insulation

The Heritage 2800 window and door system far exceeds all requirements of not only today's Building Regulations but also future revisions.

low sightline
high performance
weatherseal




glazing options from
3mm (single)
40mm (triple)



chamber
design offers
balanced
performance

PAS 24 approved
for performance



deceuninck

Deceuninck Limited


Stanier Road • Porte Marsh Industrial Estate • Calne • Wiltshire SN11 9PX
T 01249 816 969 • F 01249 815 234
deceuninck.ltd@deceuninck.com • www.deceuninck.co.uk

September 2015

Document No:
82122-8104
Heritage 2800

Weather test results

		Top Hung Casement	Side Hung Casement
	Size Tested	1.2m x 1.5m	0.9m x 1.4m
Air Permeability	Class	A4	A4
	Rating	600 Pa	600 Pa
Water tightness	Class	9A	9A
	Rating	E1050 Pa	E1050 Pa
Wind Resistance	Class	A5	A5
	Rating	2000 Pa	2000 Pa




U-Values

4/20/4 Argon Cavity		4/14/4/14/4 Argon Cavity	
U_g 1.219	U_g 1.070	U_g 0.683	U_g 0.591
U_w 1.3	U_w 1.3	U_w 0.98	U_w 0.91

WER's

4/20/4 Argon Cavity	4/14/4/14/4 Argon Cavity
A+ 12	A++ 22





Colour Express

A unique range of foil colours in 18 colourways from stock, complete with matching ancillaries, trims and accessories.

- Beautiful authentic 'wood like' finish
- Extremely durable
- 10 year manufacturer's guarantee



Heritage Collection

Our new range of premium woodgrain foils in eight colourways from stock. Each colour has its own matching ancillaries, trims and accessories.

- Beautiful authentic 'wood like' finish
- Extremely durable
- 10 year manufacturer's guarantee



Deceuninck Limited

Stanier Road • Porte Marsh Industrial Estate • Calne • Wiltshire SN11 9PX
T 01249 816 969 • F 01249 815 234
deceuninck.ltd@deceuninck.com • www.deceuninck.co.uk

September 2015

Document No:
82122-8104
Heritage 2800