


# TECHNICAL GUIDE HERITAGE FLUSH SASH



A+



Heritage flush sash looks great in any surrounding; modern townhouse or country cottage, its subtle charm and elegance transforms the building like no other.

With its flush external contours, something considered more in keeping on period

properties, satisfying the requirements of your local conservation officer just got a whole lot easier, especially when you add the all important Georgian bar for that archetypal chocolate box house you've always dreamed of.

**deceuninck**

**Deceuninck Limited**

Stanier Road • Porte Marsh Industrial Estate • Calne • Wiltshire SN11 9PX  
T 01249 816 969 • F 01249 815 234  
[deceuninck.ltd@deceuninck.com](mailto:deceuninck.ltd@deceuninck.com) • [www.deceuninck.co.uk](http://www.deceuninck.co.uk)

**April 2016**

Document No:  
82122-8104  
Heritage Flush Sash



## Weather Performance

Internally we've adopted our tried and tested high performance multifunctional weatherseal. With a continuous seal welded at the corners, air tightness is always maintained meaning no loss of comfort inside the home.

Externally a new dual seal combination maximises water tightness and conceals hardware.


An integral drainage slope encourages water to drain away quickly and easily.

## Security

The Deceuninck flush sash had the homeowner in mind during its design, so unlike others there's no compromise when it comes to things like having a night vent locking position. The bespoke locking keep also means full hardware compatibility, giving the window unrivalled security for a product of this type... achieving PAS24 just got a whole lot easier.


## Insulation

With its core designed around Heritage 2800, the insulating properties of flush sash are even more impressive. A double glazed window U value of just 1.2 epitomises this market leading product.



## Weather test results

		Top Hung Casement	Side Hung Casement
	Size Tested	1.2m x 1.2m	0.7m x 1.4m
Air Permeability	Class	A4	A4
	Rating	600 Pa	600 Pa
Water tightness	Class	7A	7A
	Rating	300 Pa	300 Pa
Wind Resistance	Class	A5	A5
	Rating	2000 Pa	2000 Pa




## U-Values

4/20/4 Argon Cavity		4/14/4/14/4 Argon Cavity	
$U_g$ 1.219	$U_g$ 1.070	$U_g$ 0.683	$U_g$ 0.591
$U_w$ 1.4	$U_w$ 1.2	$U_w$ 0.97	$U_w$ 0.90

## WER's

4/20/4 Argon Cavity	4/14/4/14/4 Argon Cavity
A+ 12	A++ 23





## Colour Express

A unique range of foil colours in 18 colourways from stock, complete with matching ancillaries, trims and accessories.


- Beautiful authentic 'wood like' finish
- Extremely durable
- 10 year manufacturer's guarantee



## Heritage Collection

Our new range of premium woodgrain foils in eight colourways from stock. Each colour has its own matching ancillaries, trims and accessories.

- Beautiful authentic 'wood like' finish
- Extremely durable
- 10 year manufacturer's guarantee



**deceuninck**

### Deceuninck Limited

Stanier Road • Porte Marsh Industrial Estate • Calne • Wiltshire SN11 9PX  
T 01249 816 969 • F 01249 815 234  
[deceuninck.ltd@deceuninck.com](mailto:deceuninck.ltd@deceuninck.com) • [www.deceuninck.co.uk](http://www.deceuninck.co.uk)

**April 2016**

Document No:  
82122-8104  
Heritage Flush Sash